



Grade name:	Slimes and Sludges, battery scrap, antimony- and lead-rich (Lower carcinogenic potential grade)
Substance:	Slimes and Sludges, battery scrap, antimony- and lead-rich
EC Number:	310-061-8
CAS Number:	102110-60-1
Substance Type:	UVCB
Degree of purity:	100 % (w/w)
Description of Product:	Slimes and sludges battery scrap antimony and lead rich are made by aqueous alkaline leaching of the majority of the sulphate from the lead-containing material recovered from recycled lead-acid batteries. The lead is mainly present as carbonates.

Composition:

Constituents	Typical concentration	Concentration range	Remarks
Lead EC no.: 231-100-4	<= 75.2 % (w/w)	>= 0 — <= 85 % (w/w)	Refers to % element. In general Pb is mainly present in the form of lead carbonate (PbCO ₃ , NaPb ₂ (CO ₃) ₂ OH). Also other lead compounds such as oxides (PbO ₂ , PbSb ₂ O ₆), sulphates (e.g. PbSO ₄) and silicates (e.g. PbSi ₂ O ₆), and Pb in metallic form are present.
Cadmium EC no.: 231-152-8	<= 0.085 % (w/w)	>= 0 — <= 0.085 % (w/w)	Refers to % element. Cd is assumed to be present in the oxide form.
Sulfur EC no.: 231-722-6	<= 10.4 % (w/w)	>= 0 — <= 30 % (w/w)	Refers to % element. S is generally present in the form of sulphates (e.g. PbSO ₄).
Zinc EC no.: 231-175-3	<= 1 % (w/w)	>= 0 — <= 7.5 % (w/w)	Refers to % element. Zn is assumed to be present in the oxide form.
Antimony EC no.: 231-146-5	<= 0.4 % (w/w)	>= 0 — <= 15 % (w/w)	Refers to % element. Sb is assumed to be present in the oxide form.
Arsenic EC no.: 231-148-6	<= 0.015 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. As is assumed to be present in the oxide form.
Bismuth EC no.: 231-177-4	<= 0.012 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. Bi is assumed to be present in the oxide form.
Tin EC no.: 231-141-8	<= 0.4 % (w/w)	>= 0 — <= 1.5 % (w/w)	Refers to % element. Sn is assumed to be present in the oxide form.
Tellurium	<= 0.02 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. Te is

Constituents	Typical concentration	Concentration range	Remarks
EC no.: 236-813-4			assumed to be present in the oxide form.
Manganese EC no.: 231-105-1	<= 0.1 % (w/w)	>= 0 — <= 1 % (w/w)	Refers to % element. Mn is generally present in the oxide form (e.g. MnO).
Silicon EC no.: 231-130-8	<= 0.83 % (w/w)	>= 0 — <= 1 % (w/w)	Refers to % element. Si is generally present in the form of silicates (e.g. PbSi ₂ O ₆ , NaCaSiO).
Sodium EC no.: 231-132-9	<= 1.29 % (w/w)	>= 0 — <= 12 % (w/w)	Refers to % element. Si is generally present in the form of silicates (e.g. PbSi ₂ O ₆ , NaCaSiO).
Calcium EC no.: 231-179-5	<= 15.7 % (w/w)	>= 0 — <= 21 % (w/w)	Refers to % element. Ca is generally present in the form of silicates (e.g. NaCaSiO).
Carbon EC no.: 231-153-3	<= 4 % (w/w)	>= 0 — <= 8 % (w/w)	Refers to % element. C is generally present in the form of carbonates (PbCO ₃ , NaPb ₂ (CO ₃) ₂ OH).
Magnesium EC no.: 231-104-6	<= 0.1 % (w/w)	>= 0 — <= 1 % (w/w)	Refers to % element. Mg is assumed to be present in the form of compounds such as silicates.
Nickel EC no.: 231-111-4	<= 0.01 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. Ni is assumed to be present in the oxide form.
Iron EC no.: 231-096-4	<= 0.15 % (w/w)	>= 0 — <= 0.2 % (w/w)	Refers to % element. Fe is assumed to be present in the oxide form.
Copper EC no.: 231-159-6	<= 0.008 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. Cu is assumed to be present in the oxide form.

Classification:

Dangerous Substances Directive 67/548/EEC - Not classified as hazardous.

Classification Labelling and Packaging Regulation EC 1272/2008 - Not classified as hazardous.

Industry classification proposals - Industry proposes to classify slimes and sludges, battery scrap, antimony- and lead-rich (lower carcinogenic potential grade) to bring it into line with the latest scientific data and knowledge. The proposed classification will be:

DSD

Xn; R20/22: Harmful by inhalation and if swallowed.

T; R48/23/25: Toxic: danger of serious damage to health by prolonged exposure through inhalation, and if swallowed.

Carc. Cat. 3; R40: Limited evidence of a carcinogenic effect.

Repr. Cat. 1; R60: May impair fertility.

Repr. Cat. 1; R61: May cause harm to the unborn child.

N; R50/53: Dangerous for the environment; Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLP

Acute Tox. 4; H302: Harmful if swallowed.

Acute Tox. 4; H332: Harmful if inhaled.

Repr. 1A; H360FD: May damage fertility. May damage the unborn child.

Carc. 2; H351: Suspected of causing cancer.

STOT Rep. Exp. 1; H372: Causes damage to organs through prolonged or repeated exposure

Aquatic Chronic 1; H410: Very toxic to aquatic life with long lasting effects.

Aquatic Acute 1; H400: very toxic to aquatic life.

Labelling:

Signal word: Danger

Hazard pictograms:

GHS07: exclamation mark



GHS08: health hazard



GHS09: environment



Hazard statements:

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

H351 Suspected of causing cancer.

H372 Causes damage to central nervous system, blood and kidneys through prolonged or repeated exposure by inhalation or ingestion.

H410 Very toxic to aquatic life with long lasting effects.

Disclaimer

The statements and content supplied in this document are for information purposes only and do not constitute advice regarding legal or regulatory compliance. You are solely responsible for obtaining legal or regulatory advice necessary in making your own evaluation of any legal or regulatory requirements applicable to you or your company. The International Lead Association Europe and the Pb REACH Consortium do not make any representations or warranties in relation to the statements or content appearing in this document, including as regards their accuracy, completeness or timeliness. Neither the International Lead Association Europe nor the Pb REACH Consortium will be responsible for any loss or damage caused by or arising from reliance on the statements made or information contained in this document.