



<b>Grade name:</b>	Lead bullion (General Grade boundary composition)
<b>Substance:</b>	Lead, bullion
<b>EC Number:</b>	308-011-5
<b>CAS Number:</b>	97808-88-3
<b>Substance Type:</b>	UVCB
<b>Degree of purity:</b>	100 % (w/w)
<b>Description of Product:</b>	"Lead, bullion" is a solid in massive form (at 20°C, 1013 hPa), produced by smelting primary and/or secondary lead-containing feeds and requiring subsequent refining. "Lead, bullion" is composed primarily of metallic lead and may contain other intermetallic phases (in particular tin, as well as copper, antimony, arsenic, bismuth).

**Composition:**

Constituents	Typical concentration	Concentration range	Remarks
Lead EC no.: 231-100-4	<= 98.9 % (w/w)	Min. 30% (w/w)	Refers to % element. Pb is generally present in the metallic form. Sometimes Pb may also be present in the oxide form (e.g. PbO).
Antimony EC no.: 231-146-5	<= 32.3 % (w/w)	>= 0 — <= 40 % (w/w)	Refers to % element. Sb is generally present in the form of an alloy (e.g. SbCdZn, SbSn, SbSnAsCd) and may also be present in the metallic form.
Copper EC no.: 231-159-6	<= 20 % (w/w)	>= 0 — <= 40 % (w/w)	Refers to % element. Cu is generally present in the form of an alloy (e.g. Cu3Sn) and in sulphide form (e.g. Cu2S).
Tin EC no.: 231-141-8	<= 41.9 % (w/w)	>= 0 — <= 56 % (w/w)	Refers to % element. Sn is generally present in the form of an alloy (e.g. SbSn, Cu3Sn, SbSnAsCd, AgSn) or in the metallic form.
Arsenic EC no.: 231-148-6	<= 5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. As is generally present in the form of an alloy (e.g. SbSnAsCd).
Bismuth EC no.: 231-177-4	<= 5 % (w/w)	>= 0 — <= 17 % (w/w)	Refers to % element. Bi is assumed to be present in the metallic form.
Zinc EC no.: 231-175-3	<= 15 % (w/w)	>= 0 — <= 30 % (w/w)	Refers to % element. Zn is generally present in the form of an alloy (e.g. SbSnAsCd, SbCdZn).
Iron EC no.: 231-096-4	<= 15 % (w/w)	>= 0 — <= 30 % (w/w)	Refers to % element. Fe is assumed to be present in the

Constituents	Typical concentration	Concentration range	Remarks
			form of an alloy.
Silver EC no.: 231-131-3	<= 5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. Ag is generally present in the form of an alloy (e.g. AgSn).
Gold EC no.: 231-165-9	<= 5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. Au is assumed to be present in the metallic form.
Aluminium EC no.: 231-072-3	<= 5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. Al is assumed to be present in the form of an alloy.
Silicon EC no.: 231-130-8	<= 1.5 % (w/w)	>= 0 — <= 3 % (w/w)	Refers to % element. Si is assumed to be present in the form of an alloy.
Cadmium EC no.: 231-152-8	<= 0.35 % (w/w)	>= 0 — <= 1 % (w/w)	Refers to % element. Cd is generally present in the form of an alloy (e.g. SbSnAsCd, SbCdZn).
Nickel EC no.: 231-111-4	<= 3.5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. Ni is assumed to be present in the metallic form.
Indium EC no.: 231-180-0	<= 5 % (w/w)	>= 0 — <= 10 % (w/w)	Refers to % element. In is assumed to be present in the metallic form.
Selenium EC no.: 231-957-4	<= 0.05 % (w/w)	>= 0 — <= 0.1 % (w/w)	Refers to % element. Se is assumed to be present in the metallic form.
Tellurium EC no.: 236-813-4	<= 0.23 % (w/w)	>= 0 — <= 0.4 % (w/w)	Refers to % element. Te is assumed to be present in the metallic form.

**Classification:****Industry self-classification in accordance with the Classification Labelling and Packaging Regulation EC 1272/2008 (CLP)**

Acute Tox. 4; H302: Harmful if swallowed.

Acute Tox. 4; H332: Harmful if inhaled.

Skins Sens. 1; H317: May cause an allergic skin reaction.

Carc. 1A; H350: May cause cancer.

Repr. 1A; H360: May damage fertility. May damage the unborn child.

Lact.; H362: May cause harm to breast-fed children.

STOT Rep. Exp. 1; H372: Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

**Labelling:**

Signal word: Danger

**Hazard pictograms:**

GHS07: exclamation mark



GHS08: health hazard



GHS09: environment



**Hazard statements:**

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to central nervous system, blood and kidneys through prolonged or repeated exposure by inhalation or ingestion.
H411	Toxic to aquatic life with long lasting effects.

**Disclaimer**

The statements and content supplied in this document are for information purposes only and do not constitute advice regarding legal or regulatory compliance. You are solely responsible for obtaining legal or regulatory advice necessary in making your own evaluation of any legal or regulatory requirements applicable to you or your company. The International Lead Association and the Pb REACH Consortium do not make any representations or warranties in relation to the statements or content appearing in this document, including as regards their accuracy, completeness or timeliness. Neither the International Lead Association nor the Pb REACH Consortium will be responsible for any loss or damage caused by or arising from reliance on the statements made or information contained in this document.